

Safety Data Sheet

MSDS No : TN284GE01

Date of issue : 2018/02/08

Revision date : 2018/02/08

Revision History : 2

1. PRODUCT AND COMPANY IDENTIFICATION

Manufacturer : Fuji Xerox Co., Ltd
Address : 7-3, Akasaka 9-choume, Minato-ku, Tokyo 107-0052, Japan
Contact Point : [Department] Environment & Product Safety Customer Satisfaction Quality Assurance Group
 [Telephone number] +81-46-237-1686
 [FAX Number] +81-46-238-5796
 [E-mail] msds-inquiry@fujixerox.co.jp

Product Name : DocuPrint
 P235d/P235db/P248db/P275dw/P285dw/P288dw/M235dw/M235z/
 M248b/M248db/M275z/M285z
 Toner(Black)

2. HAZARD IDENTIFICATION

GHS classification

Not classified as hazardous mixture of GHS classification.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Distinction of substance or mixture : Mixture

Chemical Nature :

| Chemical Name | Ingredients (% by wt.) | CAS Number |
|------------------|------------------------|-------------|
| Polyester | 70 - 90% | Undisclosed |
| Carbon Black | < 10% | 1333-86-4 |
| Amorphous silica | < 10% | Undisclosed |

This product does not contain Lead , Mercury , Cadmium , Hexavalent Chromium , Polybrominated Biphenyls (PBBs) or Polybrominated Diphenyl Ethers (PBDEs) intentionally.

4. FIRST-AID MEASURES

Eye contact : Flush with a large amount of water for at least 15 minutes. Seek medical advice.
 Skin contact : Wash with soap and water.
 Inhalation : Remove from exposure and provide fresh air. Rinse mouth with water.
 Ingestion : Rinse mouth with water. Give several glasses of water to

DocuPrint
 P235d/P235db/P248db/P275dw/P285dw/P288dw/M235dw/M235z/M248b/M248db/M275z/M285zToner(Black
) Fuji Xerox Co., Ltd TN284GE01

Date of issue : 2018/02/08
 Revision date : 2018/02/08
 Revision History : 2

drink and seek medical advice.

5.FIRE-FIGHTING MEASURES

Suitable Extinguishing Media : Water spray, Foam, Dry chemicals. When in a machine, treat as an electrical fire.
 Unsuitable Extinguishing Media : No Information.

6.ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures : Avoid inhalation. If you spill a large volume of toner, contact your local Fuji Xerox representative for special handling.
 Environmental precautions : Prevent from entering into soil, waterways and ground water.
 Methods and materials for containment and cleaning up : Get rid of fire sources. Use a broom or a wet cloth to wipe off spilled toner. (It may catch fire by electric sparks inside the vacuum cleaner and cause explosion.)

7.HANDLING AND STORAGE

Handling

Technical measures : None required when used as intended in Fuji Xerox equipment.
 Local and total ventilation : None required when used as intended in Fuji Xerox equipment.
 Notice : Do not incinerate toner or a toner cartridge. Do not disassemble a cartridge.
 Safe handling advice : Do not incinerate toner or a toner cartridge. Do not disassemble a cartridge.

Storage

Technical measures : None
 Conditions for safe storage : Keep in cool, dry and well-ventilated area. Keep out of reach of children.
 Packaging compatibilities : Keep in Fuji Xerox's designated packaging materials.

8.EXPOSURE CONTROLS /PERSONAL PROTECTION

Control Parameters

ACGIH TLV (2014) : 10 mg/m³ (Total)
 3 mg/m³ (Respirable)
 Precautionary Measured : None required when used as intended in Fuji Xerox equipment. For use other than normal customer operating procedures(such as in bulk toner processing facilities), local exhaust ventilation may be required.
 Personal Protective : None required when used as intended in Fuji Xerox equipment.

DocuPrint
 P235d/P235db/P248db/P275dw/P285dw/P288dw/M235dw/M235z/M248b/M248db/M275z/M285zToner(Black
) Fuji Xerox Co., Ltd TN284GE01

Date of issue : 2018/02/08
 Revision date : 2018/02/08
 Revision History : 2

Equipment For use other than normal customer operating procedures(such as in bulk toner processing facilities), protective glove, goggles and respirators may be required.

9. PHYSICAL AND CHEMICAL PROPERTIES

| | |
|---|------------------|
| Appearance | : Powder |
| Color | : Black |
| Odor | : Faint Odor |
| pH | : Not available |
| Melting Point/freezing point | : Not available |
| Boiling Point/Initial boiling point and boiling range | : Not available |
| Flash point | : Not applicable |
| Auto-ignition temperature | : None |
| Upper/lower flammability or explosive limits | : Not available |
| Vapour Pressure | : Not available |
| Vapour density | : Not available |
| Relative density | : Not available |
| Solubility | : Insoluble |
| Partition coefficient:n-octanol/water | : Not applicable |
| Decompositon temperature | : Not available |

10. STABILITY AND REACTIVITY

| | |
|------------------------------------|------------------|
| Stability and Reactivity | : Stable |
| Possibility of hazardous reactions | : None |
| Conditions to avoid | : None |
| Incompatible materials | : None |
| Hazardous decomposition products | : No Information |

11. TOXICOLOGICAL INFORMATION

The toxicity data noted below is based on test results of this materials or similar materials.

Acute Toxicity

| | |
|---|---------------------------------------|
| Swallowed→LD50(rat) | : >5000 mg/kg (practically non-toxic) |
| Skin Irritant | : Not an irritant |
| Skin Corrosive | : Not a corrosive |
| Serious eye damage/eye irritation - Description | : Not an irritant |
| Skin or Respiratory sensitization - | : Not a skin sensitizer |

DocuPrint

P235d/P235db/P248db/P275dw/P285dw/P288dw/M235dw/M235z/M248b/M248db/M275z/M285zToner(Black) Fuji Xerox Co., Ltd TN284GE01

Date of issue : 2018/02/08

Revision date : 2018/02/08

Revision History : 2

Description

| | | |
|--|---|---|
| Mutagenicity | : | Ames Assay: Negative |
| Carcinogenicity | : | Carbon Black: In 1996, the IARC re-evaluated carbon black as a Group 2B carcinogen (possible human carcinogen). This classification is given to chemicals, for which there is inadequate human evidence, but sufficient animal evidence on which to base an opinion of carcinogenicity. The classification is based upon the development of lung tumors in rats receiving chronic inhalation exposures to free carbon black at levels that induce particle overload of the lung. Studies performed in animal models other than rats did not show any association between carbon black and lung tumors. Moreover, a two-year cancer bioassay using a typical toner preparation containing carbon black demonstrated no association between toner exposure and tumor development in rats. |
| Reproduction and Development | : | Not classified as “ Reproductive and Development chemicals ^{ref.2)} ” |
| Specific Target Organ Toxicity Single Exposure | : | Not available |
| Specific Target Organ Toxicity Repeated | : | The results obtained from a Xerox sponsored, Chronic Toner Inhalation Study, demonstrated no lung change in rats for the lowest (1mg/m ³) exposure level (i.e. the level most relevant to potential human exposure). A very slight degree of fibrosis was noted in 25% of the animals at the middle (4mg/m ³) exposure level, while a slight degree of fibrosis was noted in all the animals at the highest (16 mg/m ³) exposure level. These findings are attributed to "lung overloading", a generic response to excessive amounts of any dust retained in the lungs for a prolonged period. This study was conducted using a special test toner to comply with EPA testing protocol. The test toner was ten times more respirable than commercially available Xerox toner, and would not be functionally suitable for Xerox equipment.* ¹ |
| Aspiration Hazard | : | Not applicable |
| Other Information | : | None |

12.ECOLOGICAL INFORMATION

The toxicity data noted below is based on test results of this materials or similar materials.

Ecotoxicity

| | | | |
|---|---|---------------|-------------------------|
| Fish 96hr LL50(Oryzias latipes) | : | >500 mg/L | (practically non-toxic) |
| Daphnia 48hr EL50(Daphnia magna) | : | >100 mg/L | (practically non-toxic) |
| Algae 72hr ErL50(Selenastrum capricornutum) | : | >100 mg/L | (practically non-toxic) |
| Persistence and degradability | : | Not available | |

DocuPrint

P235d/P235db/P248db/P275dw/P285dw/P288dw/M235dw/M235z/M248b/M248db/M275z/M285zToner(Black)
) Fuji Xerox Co., Ltd TN284GE01

Date of issue : 2018/02/08

Revision date : 2018/02/08

Revision History : 2

Bioaccumulative potential : Not available

Mobility in soil : Not available

Other adverse effects : Not available

13.DISPOSAL CONSIDERATIONS

Dispose off in accordance with national and local regulations.

14.TRANSPORT INFORMATION

Transport in accordance with national, and local regulations.

UN Hazard Class : None

UN Number : None

Air Transport

ICAO-TI/IATA-DGR : None

Sea Transport

IMDG Code : None

15.REGULATORY INFORMATION

Ensure this product in compliance with national requirements and ensure conformity to local regulations.

16.OTHER INFORMATION

The above mentioned data correspond to our present state of knowledge and experience, but no warranty is made. Users should consider these data only as a supplement to other information and must make independent determination of the suitability and completeness of information from all sources to ensure proper use and disposal of the materials and safety and health of employees and customers.

CAS Registry Number(R) is a Registered Trademark of the American Chemical Society.

References

- 1 :
 - IARC Monographs on the Evaluation Carcinogenic Risks to Humans (WHO.International Agency for Research on Cancer)
 - National Toxicology Program(NTP) Report on Carcinogens (NTP)
 - TLVs and BEIs (American Conference of Governmental Industrial Hygienists)
 - REGULATION (EC) No 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 16 December 2008 ANNEX VI on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006
 - Journal of Occupational Health(Japan Society for Occupational Health)
- 2 :
 - REGULATION (EC) No 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006